## 台灣口腔衛生科學學會論文摘要製作要點與範例

#### 研究論文摘要應包含以下項目:

- ●英文標題(英文除第一字母或專有名詞大寫 外,字體大小和字形如範例所示,並以居中 排列)。
- ②作者姓名(英文字體大小和字形如範例所示,並以居中排列,負責報告請以▲註明)。
- 6所屬機構。
- 4研究目的。
- 母研究方法。
- **⑥**結果(含數據和統計方法)。
- 7結論。

#### 病例報告摘要應包含以下項目:

- ●英文標題(英文除第一字母或專有名詞大寫外,字體大小和字形如範例所示,並以居中排列)。
- ②作者姓名(英文字體大小和字形如範例所示, 並以居中排列,負責報告者請以▲註明)。
- 6所屬機構。
- **3**目的。
- ⑤病例資料內容。
- 6討論。
- **8**結論。

臨床心得(供貼示報告使用)摘要應包含 以下項目:

- ●英文標題(英文除第一字母或專有名詞大寫 外,字體大小和字形如範例所示,並以居中 排列)。
- ❷作者姓名(英文字體大小和字形如範例所示, 並以居中排列,負責報告者請以▲註明)。
- ❸所屬機構。
- ❸目的或理論根據。
- 6臨床重要性、技術及注意事項。
- 6討論。
- **②**結論。

研究論文、病例報告和臨床心得摘要「不通過」的可能原因包括:

- 1. 摘要組織紊亂未符規定。
- 2.摘要應包含項目不足,未符規定。
- 3.摘要內容與標題不相符。
- 4. 摘要內容與類別不符。
- 5.格式和文字大小不符。

研究論文範例: (請作者打稿不需加打❶图... 分字樣)

# OCharacterization of a novel mouse model of areca nut extract-induced skin fibrosis O^Min-Hsuan Chiang¹,², Yan-Hsiung Wang¹,²

<sup>●¹</sup>School of Dentistry, College of Dental Medicine, Kaohsiung Medical University, Kaohsiung, Taiwan
<sup>²</sup>Orthopaedic Research Center, College of Medicine, Kaohsiung Medical University, Kaohsiung, Taiwan

Objectives: Oral submucous fibrosis (OSF) is a precancerous condition with a high risk of malignant transformation. However, the molecular mechanism of OSF is still unclear, in part due to the lack of an appropriate animal model. In this study, we established a reproducible animal model of areca nut extract (ANE)-induced skin fibrosis to mimic OSF. Methods: Mice were divided into 4 groups: Control group, subcutaneous (SC) injection of PBS; Bleomycin group, SC injection of bleomycin (100ug/ml); ANE10 and ANE20 groups, SC injection of ANE (10mg/ml) and ANE (20mg/ml), respectively. Mice were sacrificed and skin tissues were collected at day 3, 7, 14 and 30 after injection. Skin fibrosis was evaluated by histological analyses. Additionally, the expression of fibrotic marker genes, α-SMA and CTGF, were determined by immunohistochemistric staining and Western blots. Results: Our results showed that ANE administration significantly increased dermal thickness and collagen disposition than control group. And, ANE also induced fibrotic marker genes expression in the skin lesions. Conclusions: These results demonstrated that similar to the characteristics of OSF, SC injection of ANE successfully induced skin fibrosis and this model is suitable to study the mechanism of OSF.

### 全部摘要字體級數大小標準請參考 WORD:

● 英文標題 → 14P Times New Roman 加粗 ●作者姓名 → 12P Times New Roman

❸所屬機構→ 12P Times New Roman、❷❸❻@摘要內容文字→ 12P Times New Roman 段落→ Single Space

# Key Points and Examples for Creating Abstracts for the International Conference of the College of Taiwan Academy for Dental Hygiene

#### Original Research

The abstract of a research paper should contain the following items:

- English title (For English, capitalize only the first letter or proper nouns. The font size and style should be as shown in the example, and it should be center-aligned).
- Author's name (The font size and style for English should be as shown in the example, and it should be center-aligned. Please indicate the person responsible for the report with a ).
- 3. Affiliated institution.
- 4. Research objectives.
- 5. Research methods.
- 6. Results (including data and statistical methods).
- 7. Conclusion.

#### Case Report

The abstract of a case report should contain the following items:

- English title (For English, capitalize only the first letter or proper nouns. The font size and style should be as shown in the example, and it should be center-aligned).
- Author's name (The font size and style for English should be as shown in the example, and it should be center-aligned. The person responsible for the report should be indicated with a ).
- 3. Affiliated institution.
- 4. Purpose.
- 5. Case data content.
- 6. Discussion.
- 7. Conclusion.

#### Clinical Insights (Only for poster presentation)

The abstract for Clinical Insights (for use in poster reports) should contain the following items:

- English title (For English, capitalize only the first letter or proper nouns. The font size and style should be as shown in the example, and it should be center-aligned).
- Author's name (The font size and style for English should be as shown in the example, and it should be center-aligned. The person responsible for the report should be indicated with a .
- 3. Affiliated institution.
- 4. Purpose or theoretical basis.
- 5. Clinical significance, techniques, and precautions.
- 6. Discussion.
- 7. Conclusion.

### Possible reasons for abstract rejection:

Possible reasons for the rejection of abstracts for research papers, case reports, and clinical insights include:

- 1. The abstract is disorganized and does not meet the specified requirements.
- 2. The abstract lacks the necessary components, failing to meet the requirements.
- 3. The content of the abstract does not match the title.
- 4. The content of the abstract does not correspond with its category.
- 5. The format and font size are not in compliance.

Sample Abstract Format: (The author does not need to add the words 12...?)

# (Title) Characterization of a novel mouse model of areca nut extract-induced skin fibrosis

**②**(Author name) <sup>▲</sup>Min-Hsuan Chiang<sup>1, 2</sup>, Yan-Hsiung Wang<sup>1, 2</sup>

(Affiliation) School of Dentistry, College of Dental Medicine, Kaohsiung Medical University, Kaohsiung, Taiwan

<sup>2</sup>Orthopaedic Research Center, College of Medicine, Kaohsiung Medical University, Kaohsiung, Taiwan

②(Abstract text) Objectives: Oral submucous fibrosis (OSF) is a precancerous condition with a high risk of malignant transformation. However, the molecular mechanism of OSF is still unclear, in part due to the lack of an appropriate animal model. In this study, we established a reproducible animal model of areca nut extract (ANE)-induced skin fibrosis to mimic OSF. ⑤ Methods: Mice were divided into 4 groups: Control group, subcutaneous (SC) injection of PBS; Bleomycin group, SC injection of bleomycin (100ug/ml); ANE10 and ANE20 groups, SC injection of ANE (10mg/ml) and ANE (20mg/ml), respectively. Mice were sacrificed and skin tissues were collected at day 3, 7, 14 and 30 after injection. Skin fibrosis was evaluated by histological analyses. Additionally, the expression of fibrotic marker genes, α-SMA and CTGF, were determined by immunohistochemistric staining and Western blots. ⑥ Results: Our results showed that ANE administration significantly increased dermal thickness and collagen disposition than control group. And, ANE also induced fibrotic marker genes expression in the skin lesions. ⑥ Conclusions: These results demonstrated that similar to the characteristics of OSF, SC injection of ANE successfully induced skin fibrosis and this model is suitable to study the mechanism of OSF.

Guidelines for preparing your abstract:

1 Title: 14-point, Times New Roman, bold, align: center.

Author name: 12-point, Times New Roman.
Affiliation: 12-point, Times New Roman.

9666 Abstract text: 12-point, Times New Roman, Single Space.